| | Hits | Search Text | DBs | |
|----|------------|--|---|--|
| 1 | 227 | (payment and ATM).ab. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 2 | 30 | S1 and pins | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 3 | 30 | S2 and payment | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 4 | 30 | S3 and ATM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 5 | 1053 73 | "30" and pin.ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 6 | in | S4 and (personal adj identification adj number).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 7 | 21 | S4 and pin.ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | |
| 8 | | "21" and ((stor\$6 or database) same pin) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 9 | 14 | S7 and ((stor\$6 or database) same pin) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 10 | 19 | | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 11 | 6220 62 | "30" and "pins" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 12 | 30 | S4 and "pins" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 13 | 0 | S9 and (pair with pins) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |
| 14 | 8526 8 | "30" and (pair with pins) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | |

| | Hits | Search Text | DBs | |
|----|------|---|-----------------------------------|--------------------|
| 15 | | S4 and (pair with pins) | US-PGPUB; EPO; JPO; IBM_TDB | DERWENT; |
| 16 | 94 | @rlpd<"19990910") | US-PGPUB; EPO; JPO; IBM_TDB | USPAT; DERWENT; |
| 17 | ۵ | (pair with pins).ab. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910") | US-PGPUB; EPO; JPO; IBM TDB | · |
| 18 | | S1 and (pair with pins) | US-PGPUB; EPO; JPO; IBM TDB | |
| 19 | 0 | S17 and (enrcrypt\$6 with pins) | US-PGPUB; EPO; JPO; IBM TDB | |
| 20 | 2 | S17 and (encrypt\$6 with pins) | US-PGPUB; EPO; JPO; IBM_TDB | |
| 21 | 1 | S21 and encrypt\$6 | US-PGPUB; EPO; JPO; IBM_TDB | |
| 22 | 1126 | S17 and (pins with different) | US-PGPUB; EPO; JPO; IBM_TDB | |
| 23 | 1 | S12 and (different with pins) | US-PGPUB; EPO; JPO; IBM_TDB | - |
| 24 | | (@pd<"19990910" or @ad<"19990910" or | US-PGPUB; EPO; JPO; IBM_TDB | |
| 25 | | (@pd<"19990910" or @ad<"19990910" or | US-PGPUB; EPO; JPO; IBM_TDB | |
| 26 | 69 | ((personal adj identification adj number) or pin).ti. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910") | US-PGPUB; EPO; JPO; IBM_TDB | |
| 27 | 69 | ((personal adj identification adj numbers) or pins).ti. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910") | US-PGPUB; EPO; JPO; IBM_TDB | |

| | Hits | Search Text | . DBs | |
|----|-----------|---|---|-----|
| 28 | 14 | S27 and payment.ti. | US-PGPUB; USPA EPO; JPO; DERW IBM_TDB | , |
| 29 | 26 | S27 and payment.ab. | US-PGPUB; USPA EPO; JPO; DERW IBM_TDB | |
| 30 | | (ATM and "pins").ab. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910") | US-PGPUB; USPA EPO; JPO; DERW IBM_TDB | |
| 31 | 34 | (ATM and "pins").ab. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910") | US-PGPUB; USPA EPO; JPO; DERW IBM TDB | · 1 |
| 32 | | (dual adj pins) and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910") | US-PGPUB; USPA EPO; JPO; DERW IBM_TDB | · · |
| 33 | 2135 3 | "54" and payment | US-PGPUB; USPA EPO; JPO; DERW IBM_TDB | |
| 34 | 0 | S32 and payment | US-PGPUB; USPA EPO; JPO; DERW IBM_TDB | · . |